United States Of America Department of Transportation - Federal Abiation Administration

Supplemental Type Certificate

Number SA2586NM

This Certificate issued to

J. P. INSTRUMENTS 9621 Bay Meadow Drive Huntington Beach, CA 92646

certifies that the change in the type design for the following product with the limitations and conditions therefor as specified hereon meets the airworthiness requirements of Part 3 of the Civil Aviation Regulations, including respective Amendments as specified in the attached Approved Model List.

Original Product Type Certificate Number :

* *See attached FAA Approved J.P. Instruments

Make :

* Master Eligibility List No. SA2586NM for list

Model: * of approved aircraft models and applicable TCDS

Description of Type Design Change:

Installation of J. P. Instruments temperature monitoring systems in accordance with FAA Approved J. P. Instruments Drawing List Report No. 100, Revision D, dated December 19, 1996, or later FAA approved revisions. FAA Approved Airplane/Rotorcraft Flight Manual Supplement No. 1 for EGT-701 temperature indicator, Revision A, dated December 13, 1996, or later FAA approved revisions.

Limitations and Conditions. The approval of the change in type design applies to the basic airplane of the specific models that are otherwise unmodified. This approval should not be extended to other specific airplanes of these models on which other previously approved modifications are incorporated, unless it is determined that the interrelationship between this installation and any previously approved configuration will not introduce any adverse effect upon the airworthiness of that airplane. If the holder agrees to permit another person to use this certificate to alter the product, the holder shall give the other person written evidence of that permission. (See continuation sheet) *This certificate and the supporting data which is the basis for approval shall remain in effect until surrendered, suspended, revoked or a termination date is otherwise established by the Administrator*

of the Federal Aviation Administration.

Date of application : December 31, 1984

Date of issuance : August 14, 1985



Date reissued :

Date amended: July 13, 1987, November 13, 1992, December 19, 1996, May 15, 1998, June 17, 1999 By direction of the Administrator

(Signature) Manager, Propulsion Branch Los Angeles Aircraft Certification Office

(Title)

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

FAA Form 8110-2(10-68)

Page 1 of 3 This certificate may be transferred in accordance with FAR 21.47.

INSTRUCTIONS: The transfer endorsement below may be used to notify the appropriate FAA Regional Office of the transfer of this Supplemental type certificate.

The FAA will reissue the certificate in the name of the transferee and forward it to him.

TRANSFER ENDORSEMENT

Transfer the ownership of the Supplemental Type Certificate Number_____

to (Name of transferee)_____

(Address of transfer)_______(Number and street)

(City, State, and Zip code)

from (Name of grantor) (Print or type)_____

(Address of grantor)

(Number and street)

(City, State, and Zip code)

Extent of Authority (if licensing agreement):

Date of Transfer:_____

Signature of grantor (In ink):

United States Of America Department of Transportation - Federal Abiation Administration

Supplemental Type Certificate

(Continuation Sheet)

Number SA2586NM

Limitations and Conditions - continued

Cylinder head, oil, turbine inlet and/or exhaust gas temperature, fuel flow equipment, tachometer instruments, and manifold pressure instruments required by the original type design, or if required by other FAA approval, must remain installed and operable.

Aircraft listed on the FAA approved Master Eligibility List SA2586NM and that have been previously modified with a fuel flow indication system that utilizes the Flowscan fuel flow transducer (P/N: 201-A, 201-B, 201-C, or 231 or equivalent as listed on page 4 of the FAA Approved Installation Instructions, Drawing 103) are eligible for installation of the EGT-701 fuel flow option.

This certificate does not constitute installation approval of the fuel flow transducer.

EGT-701 temperature indicator with tachometer (rpm) and manifold pressure options are eligible for the 4 cylinder and 6 cylinder engines listed on the Master Eligibility List (MEL) SA2586NM only.

FAA Approved Airplane/Rotorcraft Flight Manual Supplement No. 1, Revision A, dated December 13, 1996 or later FAA approved revision, is required with the installation of the EGT-701 system.

Eligible dash numbers for the EGT-701 are listed on MEL SA2586NM.

A copy of this certificate must be maintained as part of the permanent records of the modified aircraft.

-END-

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both.